



Camelid TB Serology Package Statutory Sample Submission Form

Please submit clotted blood or serum ONLY

Local APHA office submitting samples		Manage Sample WSA ID	
Number of samples		Number of boxes	Date of Sampling
APHA Regional Laboratory	APHA Starcross	Case VO or other APHA office contact name:	
Samples packed by:		Herd owner/keeper's name	
CPHH	/ /	Species	

Owner/keeper address:

Postcode

Practice clinician

--

Practice address:

Postcode

Your reference number:

--

	YES
Has a tuberculin injection been administered to the animal/s 10 - 30 days before blood sampling?	<input type="checkbox"/>
	NO
	<input type="checkbox"/>

Reason for Submission (please tick the applicable reason)

High Sensitivity (Parallel) Test

TB breakdown camelid herd in which <i>M. bovis</i> has been isolated on culture. In Wales, this also includes herds considered high risk on epidemiological grounds	PAR-TB	<input type="checkbox"/>
TB strongly suspected (e.g. characteristic Post Mortem Examination (PME) lesions), but not currently confirmed by laboratory culture herd under restrictions (initial High Specificity test that can be reinterpreted to High Sensitivity following culture confirmation)	PAR-SUS	<input type="checkbox"/>
Forward (spread) tracing(s) from an <i>M. bovis</i> – infected camelid herd (includes camelid herds in Wales only co-located on the same premises with infected cattle, deer, goats, sheep and pigs)	PAR-TRC	<input type="checkbox"/>

Combined Test Selection choose two or tick No Preference. (The Enferplex option is **NOT** available for Welsh Camelids)

- IDEXX
- Enferplex 2-spot interpretation
- DPP VetTB
- No Preference

High Specificity (Serial) Test

Herd not under restrictions, but contiguous to a TB-infected herd	SER-CONT	<input type="checkbox"/>
Camelids under restrictions by virtue of sharing a holding (co-located) with an OTFW cattle herd or with other non-bovine animals affected by a culture-confirmed TB incident (England/Scotland ONLY)	SER-COL	<input type="checkbox"/>
Herd not under restrictions, but TB tested due to an epidemiological link with a known infected herd (e.g. back or source-tracing)	SER-EPI	<input type="checkbox"/>

Choose one or tick No Preference (The Enferplex option is **NOT** available for Welsh Camelids)

- Enferplex 4-spot interpretation
- DPPVetTB and IDEXX ELISA combined serial test
- No Preference

Samples must not be submitted in temperature controlled boxes

Send samples to:

TB Serology Department, APHA Starcross, Staplake Mount, Starcross, Exeter, Devon, EX6 8PE

Tel: 01626 891121

Fax: 01626 891766

Contacts:

Nick Robinson, Rowan Morris

