



Camelid TB Serology Package Statutory Sample Submission Form

Please submit clotted blood or serum ONLY

Local APHA office submitting samples	<input type="text"/>	Manage Sample WSA ID	<input type="text"/>
Number of samples	<input type="text"/>	Number of boxes	<input type="text"/>
		Date of Sampling	<input type="text"/>
APHA Regional Laboratory	APHA Starcross	Case VO or other APHA office contact name:	<input type="text"/>
Samples packed by:	<input type="text"/>	Herd owner/keeper's name	<input type="text"/>
CPHH	/ /	Species	<input type="text"/>

Owner/keeper address:

<input type="text"/>
Postcode

Practice clinician

<input type="text"/>

Practice address:

<input type="text"/>
Postcode

Your reference number:

<input type="text"/>

Reason for Submission (please tick applicable reason)

High Sensitivity (Parallel) Test

TB Breakdown herd with confirmed <i>M. bovis</i> infection (including in Wales where Officially Tuberculosis Free Withdrawn (OTFW) status is determined on epidemiological grounds)	PAR-TB	<input type="checkbox"/>
TB strongly suspected (e.g. characteristic Post Mortem Examination (PME) lesions), but not currently confirmed by laboratory culture herd under restrictions	PAR-SUS	<input type="checkbox"/>
Forward (spread) tracing(s) from an <i>M. bovis</i> – infected camelid herd (includes camelid herds in Wales only co-located on the same premises with infected cattle, deer, goats, sheep and pigs)	PAR-TRC	<input type="checkbox"/>

Combined Test (choose two or tick No Preferences. (The Enferplex option is **NOT** available for Welsh Camelids)

IDEXX Enferplex: 2-spot DPP VetTB No Preference

High Specificity (Serial) Test

Herd not under restrictions, but contiguous to a TB-infected herd	SER-CONT	<input type="checkbox"/>
Herd under restrictions, but co-located with an infected herd of cattle, deer, goats etc. (England and Scotland ONLY).	SER-COL	<input type="checkbox"/>
Herd not under restrictions, but TB tested due to an epidemiological link with a known infected herd (e.g. back or source-tracing)	SER-EPI	<input type="checkbox"/>

Choose one or tick No Preference (The Enferplex option is **NOT** available for Welsh Camelids)

Enferplex: 4-spot DPPVetTB/IDEXX combined serial test No Preference

Tick if a tuberculin injection has been administered to the animals 10 - 30 days before blood sampling

Samples must not be submitted in temperature controlled boxes

Please send samples to the address below:

APHA Starcross
Staplake Mount
Starcross
Exeter
Devon
EX6 8PE

Tel: 01626 891121
Fax: 01626 891766

Contact names:
Rowan Morris
Nick Robinson

